



 **CENTRAL VACUUM  
CYCLO VAC**

PERFORMANCE AND INNOVATION



**THE EXPERTISE OF OVER 45 YEARS**



Founded in 1960, Trovac Industries launched the Cyclo Vac brand for their central vacuum systems in 1976. Notable for their rich burgundy color, high performance, remarkably low noise level, and undeniable reliability, Cyclo Vac central vacuums took the market by storm.

The well established expertise of Trovac Industries has contributed to many successful product launches through its' history. Cyclo Vac products are now synonymous with the highest standards of quality and reliability – a fact reflected in each central vacuum sold.

Cyclo Vac central vacuums are manufactured with the highest quality products, most of which are recyclable and designed specifically for Cyclo Vac, so we can offer up to 15 years' warranty on some of our systems central vacuums, and 3 years on our attachments.

Cyclo Vac's objective: distribute the most powerful, quiet, central vacuum worldwide, equipped with the best technology, at the best possible price.

SO CONVENIENT AND EASY TO USE



ULTRA QUIET



LIGHT  
EASY TO USE

- Effective** Much more powerful than a portable vacuum, the Cyclo Vac central vacuum cleans thoroughly.
- Easy to use** Vacuuming has never been easier; all you need is a hose and an attachment brush! No heavy vacuum cleaner to pull around.
- Safe** Long electrical cords are a thing of the past. The vacuum inlets are connected to the central vacuum unit using safe low voltage wiring.
- Quiet** The central vacuum cleaner is located in an adjacent room. You will no longer have to endure a noisy portable vacuum, or inconvenience other family members.
- Healthy** Due to its efficient filtration system, the Cyclo Vac central vacuum ensures indoor air quality, without redistributing fine dust and odours within your living space. This system is recommended for people suffering from asthma and allergies.
- Reliable** Cyclo Vac chooses sturdy motors and top quality components for their products, so you can benefit from a warranty of up to 15 years\*.

\*Details regarding the warranty are available from your agent

## EASY INSTALLATION

Cyclo Vac central vacuum systems can be installed in any home, cottage or apartment, as well as commercial and professional buildings.

Usually installed in a garage, in the basement, or a storage room, the central vacuum is connected by a piping system to conveniently placed inlets throughout your home

Whether you choose a traditional hose or a retractable hose system, your central vacuum is easily activated, and provides performance much superior to portable vacuums.

Easily achieved during construction or renovations, different techniques allow for the integration of a Cyclo Vac central vacuum in any type of existing home. You may request the services of our certified specialists, or accomplish it yourself with the help of our complete installation kit.



### VACUUM ①

The central vacuum power unit is installed either in a garage, in the basement, in the attic or a storage room. The Cyclo Vac central vacuum does not require venting to the outdoors



### VACPAN ②

Essential for those who won't do away with their old broom, opening the Vacpan with your toe starts the central vacuum cleaner. Just sweep dust and crumbs away, no more bending down to pick them up!



### HIDE A HOSE (RETRACTABLE HOSE) ③

This vacuum inlet with integrated hose allows you to use the length of hose you need, and to start your Cyclo Vac central vacuum directly.

When finished, the suction created by the vacuum retracts the hose into the piping system. Out of sight, but not out of mind! No more hoses to lug around!



# EASY TO INSTALL!



## VACUUM INLETS ④

The inlets are strategically placed allowing for easy access and vacuuming every area of your home. The number of inlets per floor varies; one inlet usually covers several rooms.




## INSTALLATION KIT ⑤

Designed for those who wish to do their own installation, these kits include everything you need.



## INSTALLATION DVD

Whether you're installing while under construction, during renovations, or in a totally finished home, this video provides many helpful tips. DVD available from your agent.



When planning the location of vacuum inlets, favour hallways, open spaces and landings, rather than within an enclosed room.

Place them strategically to be sure the entire floor area can be covered with your vacuum hose.


**DECO INLETS**

Distinguished design, superior quality and a lifetime warranty are but some of the advantages of this latest innovation for the central vacuum industry. A wide range of colors makes these new DECO inlets suitable to any decor.

**SOON AVAILABLE IN METAL  
FINISH STAINLESS STEEL**


**FRESH AIR – IT'S ESSENTIAL TO OUR WELL-BEING.**

Pollutants, whether they are dust, pollen, mold or other microscopic particles, cause harmful allergies and even some respiratory disorders. Research proves that a Cyclo Vac central vacuum can help! Its multiple filtration system ensures that those microscopic particles you've just vacuumed aren't circulated into your home environment.

*Ultra-Fresh*<sup>™</sup>  
Antimicrobial performance


**UNTREATED**

**TREATED**

The Ultra-Fresh<sup>®</sup> treatment, applied to the Cyclofiltre<sup>™</sup> in each Cyclo Vac model, impedes the growth of bacteria and mold which are common causes of allergies. This unique treatment eliminates odours caused by these micro organisms. An added plus: it also prolongs the filter's durability.

Available on various Cyclo Vac models, our exclusive and innovative carbon dust filtration system captures that fine black dust produced by the motors, and usually deposited on walls and surfaces surrounding your central vacuum power unit.

Whether you choose a model from our Tradition Collection, or one from our High Efficiency Collection, you're sure to breathe easier.

**Carbon dust  
filtration<sup>1</sup>**



<sup>1</sup> Ultra-Fresh is a trademark of Thomson Research Associates. Ultra-Fresh is registered with EPA (USA) and Health and Welfare Canada.

1- Patented

## DATA SYNC



Always at the forefront of design and innovation, Cyclo Vac introduces their latest technology: the **Synchronized Data Monitor**. Unique and exclusive, it allows the selection of four power levels; signals when to change the bag or empty the canister, and suggests required maintenance. All this information is available on the LCD screen on the front of the central vacuum unit, and simultaneously on the hose handle, right at your fingertips!



- ❶ **Timer** – Indicates hours the unit has been operated.
- ❷ **Flashing wrench** – maintenance of the power unit is required.
- ❸ **Turbine** – DL and GX series.  
Without movement – unit is connected to a power source..  
Movement – Unit is turned on  
Speed of movement according to power level chosen.
- ❹ **Flashing bag** – GX series only.  
Check the bag, and change if necessary.
- ❺ **Flashing filter** – DL series only.  
Empty dust recipient and clean filters.
- ❻ **Flashing Carbon Dust Filter** – DL and GX series.  
Replace filter.
- ❼ **Reset** – to stop the flashing icons, press the reset button for one second.
- ❽ **On-Off Switch** – Start / Turn off the unit. Selection of 4 power levels.



## SERIES DL GX

# E TRADITION DL

with  
avec  
con Ultra-Fresh\*



**Our Tradition Collection established the standards for performance and filtration in the central vacuum industry.** Numerous satisfied customers have been relying on them for over forty-five years!

Here's how its multiple filtration system works:

- The first dust barrier consists in the simple **cyclonic circulation of air**. The centrifugal force directs the dust particles to the bottom of the dust canister.
- The machine **washable pre-filter** then catches any remaining fine dust particles.
- Finally, our exclusive **Cyclofiltre™**, treated with Ultra-Fresh\* to prevent the growth of mold, fungus and bacteria, captures the micro particles. Conveniently, it is also machine washable.
- For enhanced filtration, our **patented carbon dust filtration** captures the fine black dust produced by the motors.

## Advanced Filtration System

- ✓ Bagless system
- ✓ Washable pre-filter
- ✓ Washable Cyclofiltre™ with Ultra-Fresh\*
- ✓ Carbon dust filtration<sup>1</sup>

# CENTRAL VACUUM CYCLO VAC

## GENERATION 2009



TECHNICAL DATA	71	AXESS	111	
Airwatts	490	490	598	
Decibel	54	53	55	
Water Lift (mm)	2497	2497	3200	
Air Flow (cmh)	249	249	214	
Amps MAX (A)	5.6	5.6	6.5	
Watts	1288	1288	1495	
Voltage (V)	240	240	240	
Motors per Unit	1	1	1	
Turbines per Motor	1	1	2	
	E DL GS GX	E DL GS GX	E DL GS GX	E

FEATURES	Capacity Bag	Capacity Canister	Carbon Filter <sup>2</sup>	Ultra-Fresh <sup>1</sup> Filter	Au St
E Series		22 L	• <sup>3</sup>	•	•
DL Series		27.8 L	•	•	•
GS Series	22.4 L <sup>1</sup>		• <sup>3</sup>	•	•
GX Series	32 L		•	•	•

1- Except GS71 (6.4 L), Axess and 111 (17.4L)

2- Patented

3 Except AXESS, GS71, GS111 and GS211 mod



211	311	711	2011	5011	7011
602	627	655	695	1160	1300
54	67 • 64	68 • 65	72	73	73
3400	3480	3810	4318	5461	3810
214	211	204	199	246	408
6.6	7	8.4	8.7	13.4	14.5
1518	1610	1932	2001	3082	3335
240	240	240	240	240	240
1	1	1	2	2	2
2	2	3	2	2	3
DL GS GX	E DL GS GX	E DL GS GX	E DL GS GX	E DL GS GX	E DL GS GX

to	Slow Start	4 Power Levels	LCD Screen	Flashing LED	Warranty Parts	Warranty Labor
•				•	10 yrs / 500 hrs	3 years
•	•	•	•		15 yrs / 750 hrs	3 years
•				•	10 yrs / 500 hrs	3 years
•	•	•	•		15 yrs / 750 hrs	3 years

**At the forefront of research and innovation,** Cyclo Vac's prestigious High Efficiency Collection establishes a whole new standard in the central vacuum industry.

This innovative collection introduces an entirely new multiple filtration system. Designed for today's lifestyles, it includes :

- A convenient disposable **electrostatic filter bag**. No matter the volume of dust inside, it ensures constant maximum vacuum power.
- Filtration is further ensured by a **Cyclofiltre™** treated with Ultra-Fresh® to prevent the growth of mold, fungus and bacteria.
- Our **patented carbon dust filter** captures the fine black dust produced by the motors.



**High Efficiency Filtration System**

- ✓ Electrostatic bag system
- ✓ Cyclofiltre™ with Ultra-Fresh+
- ✓ Carbon Dust Filtration<sup>1</sup>

<sup>1</sup> Ultra-Fresh is a trademark of Thomson Research Associates. Ultra-Fresh is registered with EPA (USA) and Health and Welfare Canada.

© 2010 TAC



### HIDE A HOSE

This unique retractable hose system allows you to pull out the desired length of hose, no more, no less, and start your vacuum directly at the inlet valve. It's easy and simple!

When you are finished, the hose retracts very quickly, due to the exceptional power of your Cyclo Vac central vacuum. The hose is drawn into the pvc piping system, installed within the walls of your home.



### VACPAN VACUSWEEP

An essential part of any central vacuum system, especially in the kitchen or bathroom. The tip of your toe opens the automatic dustpan to vacuum the dust and crumbs you've just swept. So easy, once you've tried it, you will not want to go without it!



### VROOM

For a 3 second clean!

Ideal for quickly cleaning small spaces and dry messes, the Vroom turns on and off automatically - just lift the hose and you're ready to clean.

Vroom is easily installed inside most cabinets, so it's there when you need it, but tucked away out of sight when you don't.



### DRAWERVAC

Installed under any counter top, opening the Drawervac activates your Cyclo Vac central vacuum. Crumbs and other dry litter are quickly vacuumed, without a broom, brush or even bending. Close the Drawervac, and your vacuum automatically stops. So convenient!



# CYCLO VAC



Partners in research



## PROFESSIONALS AT YOUR SERVICE

Cyclo Vac products are distributed by recognized professionals of the central vacuum industry, well qualified to recommend products suitable to the needs of our clientèle.



CycloVac's High Efficiency series is recommended by the French Association for the Prevention of Allergies (AFPRAL).

### HEAD OFFICE

3, rue Marcel-Ayotte  
Blainville (Québec) J7C 5L7  
Canada

Tel. : 450-434-2233  
Fax : 450-434-6111

info@cyclovac.com  
1 888 77CYCLO



[WWW.CYCLOVAC.COM](http://WWW.CYCLOVAC.COM)

### DISTRIBUTION CENTER - EUROPE

16, rue du Stade  
44170 Treffieux  
France

Tel. : + 33 (0) 2 40 51 44 60  
Fax : + 33 (0) 2 40 51 42 24

info@cyclovac.eu  
N° vert: 0800 800 393v